Printing date 10/28/2025 Reviewed on 10/28/2025

· Product identifier

· Trade name: <u>G-MAX</u> · Product Code: 3727

Details of the supplier of the safety data sheet

· Distributor:

ATCO International 1401 Barclay Circle SE Marietta, GA 30060 USA www.atcointernational.com

· Information department: Technical Services

· Emergency telephone number: +1 (800) 255-3924

2 Hazard(s) identification

· Classification of the substance or mixture



Eye Irritation 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements

Causes serious eye irritation.

· Precautionary statements

Wash thoroughly after handling.

Wear eye protection / face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2 Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

(Contd. on page 2)

Printing date 10/28/2025 Reviewed on 10/28/2025

Trade name: G-MAX

· vPvB: Not applicable.

(Contd. of page 1)

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.
- Dangerous components:

68457-79-4 Zinc Dialkylthiophosphate

1-5%

4 First-aid measures

- Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · **Protective equipment:** No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/surface or ground water.
- · Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:	
8052-42-4 Asphaltic Resin	30 mg/m ³
91-20-3 naphthalene	15 ppm
· PAC-2:	
8052-42-4 Asphaltic Resin	330 mg/m³
91-20-3 naphthalene	83 ppm
	(Contd. on page 2

LIC

Printing date 10/28/2025 Reviewed on 10/28/2025

Trade name: G-MAX

		(Contd. of page 2)
· <i>PAC-3:</i>		
8052-42-4	Asphaltic Resin	$2,000 \text{ mg/m}^3$
91-20-3	naphthalene	500 ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

Printing date 10/28/2025 Reviewed on 10/28/2025

Trade name: G-MAX

· Eye protection:

(Contd. of page 3)



Tightly sealed goggles

Information on basic physical and	chemical properties
General Information Appearance:	
Form:	Semi-Solid
Color:	Green
Odor:	Petroleum-like
Odor threshold:	Not determined.
pH-value:	Not applicable.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	338 °C (640.4 °F)
Flash point:	255 °C (491 °F)
Flammability:	Not determined.
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not applicable.
Density at 20 °C (68 °F):	0.89852 g/cm³ (7.49815 lbs/gal)
Relative density	Not determined.
Vapor density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Insoluble.
Partition coefficient (n-octanol/wat	t er): Not determined.
Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.

(Contd. on page 5)

Printing date 10/28/2025 Reviewed on 10/28/2025

Trade name: G-MAX

(Contd. of page 4)

Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· NTP (National Toxicology Program)

91-20-3 naphthalene

R

· OSHA-Ca (Occupational Safety & Health Administration): (Substances not listed)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

HS

Printing date 10/28/2025 Reviewed on 10/28/2025

Trade name: G-MAX

(Contd. of page 5)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

· Section 355	(extremely hazardous substances):		
None of the i	ingredients is listed.		
· Section 313	(Specific toxic chemical listings):		
68457-79-4	Zinc Dialkylthiophosphate		1.7%
· TSCA (Toxi	c Substances Control Act):		
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	ACTIVE	30-60%
64742-01-4	Residual oils (petroleum), solvent-refined	ACTIVE	15-40%
68815-49-6	LITHIUM 12 HYDROXYOCTADECANOATE SEBACATE COMPLEX	ACTIVE	5-10%
68457-79-4	Zinc Dialkylthiophosphate	ACTIVE	1-5%
20786-60-1	Potassium Orthoborate	ACTIVE	0.1-1%
25038-32-8	Styrene-Isoprene-Styrene Polymer	ACTIVE	0.1-1%
15874-48-3	antimony $0,0$ -dipropylphosphorodithioate	ACTIVE	0.1-1%
		(Cos	ntd on page 7

(Contd. on page 7)

0.00004%

Safety Data Sheet acc. to OSHA HCS

Printing date 10/28/2025 Reviewed on 10/28/2025

Trade name: G-MAX

		(Co	ontd. of page 4
64742-52-5	Distillates (petroleum), hydrotreated heavy naphthenic	ACTIVE	0.1-1%
	Sulfurized Olefin	*	0.1-1%
68411-46-1	Alkylated Diphenylamine	ACTIVE	0.1-1%
68783-96-0	Calcium Sulfonate	ACTIVE	0.1-1%
84605-20-9	Polyisobutylene Succinimide	ACTIVE	0.1-1%
8052-42-4	Asphaltic Resin	ACTIVE	0.057%
9003-27-4	Polyisobutylene	ACTIVE	0.013%
64742-94-5	Solvent naphtha (petroleum), heavy arom.	ACTIVE	0.006%
	Green Colorant in Unisol Green 2BHF	*	0.005%
91-20-3	naphthalene	ACTIVE	0.00004%
Hazardous Air Pollutants			
91-20-3 naj	phthalene		

· Proposition 65

· Chemicals known to cause cancer:	
91-20-3 naphthalene	

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· TLV (Thr	eshold Limit Value)	
8052-42-4	Asphaltic Resin	A4
91-20-3	naphthalene	A4
· NIOSH-C	a (National Institute for Occupational Safety and Health)	
None of th	e ingredients is listed.	

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements

Causes serious eye irritation.

· Precautionary statements

Wash thoroughly after handling.

Wear eye protection / face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

(Contd. on page 8)

Printing date 10/28/2025 Reviewed on 10/28/2025

Trade name: G-MAX

(Contd. of page 7)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department
- · Contact: Ms. McDaniel
- · Date of preparation / last revision 10/27/2025 / -
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

* * Data compared to the previous version altered.

US